Reed Auto Switch Rail Mounting Style D-A7 H/D-A80H

Refer to SMC website for the details of the products conforming to the international standards.

PLC: Programmable Logic Controller


(g)

(mm)


Grommet **Electrical entry: In-line**



Auto Switch Internal Circuit







Note 1) Operating load is an induction load. Note 2) Wiring to the load is more than 5 m. Note 3) Load voltage is 100 VAC or 200 VAC. Use the contact protection box in any of the above listed situations. The contact point life may decrease. Especially in the case of D-A72H, be sure to use the contact protection box. (Refer to page 1273 for contact protection box.)

Auto Switch Specifications

D-A7 H (With indicator light)										
Auto switch model	D-A72H		D-A73H			D-A76H				
Applicable load	Relay, PLC		Relay, PLC			IC circuit				
Load voltage	200 VAC	24 VD	C	100 VAC		4 to 8 VDC				
Max. load current/Load current range(3)	5 to 10 mA	5 to 40	mA	5 to 20 mA		20 mA				
Contact protection circuit	None									
Internal voltage drop	2.4 V or less				0.8 V or less					
Indicator light	Red LED illuminates when turned ON.									
Standard	CE marking									
D-A80H (Without indicator light)										
Auto switch model	D-A80H									
Applicable load	Relay, IC circuit, PLC									
Load voltage	24 V_{DC}^{AC} or le	ess	48 V _{DC} ^{AC}		100 V ^{AC} _{DC}					
Maximum load current	50 mA		40 mA		20 mA					
Contact protection circuit	None									
Internal resistance	1 Ω or less (Including lead wire length of 3 m)									
Standard	CE marking									

• Lead wires — Oilproof heavy-duty vinyl cord, 0.2 mm², 2 cores (Brown, Blue), 3 cores (Brown, Black, Blue), 0.5 m

Note 1) Refer to page 1272 for reed auto switch common specifications. Note 2) Refer to page 1272 for lead wire lengths.

Note 3) Under 5 mÅ, the strength of the indicator light is poor. In some cases, visibility of the indicator light will not be possible where the output signal is less than 2.5 mA. However, there is no problem in terms of contact output, when an output signal exceeds 1 mA or more.

Mass

Auto switch mode	el	D-A72H	D-A73H	D-A76H	D-A80H
Lead wire length (m)	0.5	10	10	11	10
	3	47	47	52	47
	5	_	77	_	_

Dimensions

D-A7 H, D-A80H

